

L Number	Hits	Search Text	DB	Time stamp
1	5	@ad < "20001121" and ((transaction adj log) same tree) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:22
-	91	(logical near3 state) and (physical near3 state) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/21 12:29
-	0	((logical near3 state) and (physical near3 state) and database ) and (record near3 before near3 after near3 (updat\$3 or modif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:18
-	1	((logical near3 state) and (physical near3 state) and database ) and (record near3(updat\$3 or modif\$3))) and ((parent or root) with position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:18
-	1	((logical near3 state) and (physical near3 state) and database ) and ((parent or root) with position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:12
-	2207	logical and physical and (state with database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:13
-	23	(logical and physical and (state with database) ) and (record near3 before near3 after near3 (updat\$3 or modif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:13
-	23	((logical and physical and (state with database) ) and (record near3 before near3 after near3 (updat\$3 or modif\$3))) and (record near3(updat\$3 or modif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:13
-	0	((logical and physical and (state with database) ) and (record near3 before near3 after near3 (updat\$3 or modif\$3))) and (record near3(updat\$3 or modif\$3))) and ((parent or root) with position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:14
-	9	((logical near3 state) and (physical near3 state) and database ) and (record near3(updat\$3 or modif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:36
-	47	database and (record near3 before near3 after near3 (updat\$3 or modif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:18
-	0	(database and (record near3 before near3 after near3 (updat\$3 or modif\$3))) and ((parent or root) with position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:21

-	1364	database and ((parent or root) with position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:40
-	94	((database and ((parent or root) with position)) and (record near3(updat\$3 or modif\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:22
-	1	((((database and ((parent or root) with position)) and (record near3(updat\$3 or modif\$3))) and ((parent or root) with dependent)) and tree	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:23
-	10	((database and ((parent or root) with position)) and (record near3(updat\$3 or modif\$3))) and ((parent or root) with dependent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:30
-	14	((database and ((parent or root) with position)) and (record near3(updat\$3 or modif\$3))) and ((chunk\$3 or transaction) with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:30
-	1	((((database and ((parent or root) with position)) and (record near3(updat\$3 or modif\$3))) and ((chunk\$3 or transaction) with data)) and ((parent or root) with dependent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:41
-	10	((logical near3 state) and (physical near3 state) and database ) and (record near3(updat\$3 or modif\$3 or add\$3 or delet\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:42
-	609	database and tree and ((parent or root) with position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:41
-	22	(database and tree and ((parent or root) with position)) and ((parent or root) with dependent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 14:58
-	1	((database and tree and ((parent or root) with position)) and ((parent or root) with dependent)) and (record near3(updat\$3 or modif\$3 or add\$3 or delet\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:42
-	3	((database and tree and ((parent or root) with position)) and ((parent or root) with dependent)) and (record same(updat\$3 or modif\$3 or add\$3 or delet\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:42
-	1	((((database and tree and ((parent or root) with position)) and ((parent or root) with dependent)) and (record same (updat\$3 or modif\$3 or add\$3 or delet\$3))) and (append\$2 near3 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:44

-	3	((database and tree and ((parent or root) with position)) and ((parent or root) with dependent)) and (record same (updat\$3 or modif\$3 or add\$3 or delet\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:44
-	274	relational and ((parent or root) with position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 14:38
-	58	(relational and ((parent or root) with position)) and (record with (updat\$3 or modif\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 12:30
-	7	((relational and ((parent or root) with position)) and (record with (updat\$3 or modif\$3))) and (version near3 control)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 12:31
-	7	((relational and ((parent or root) with position)) and (record with (updat\$3 or modif\$3))) and (version near3 control) and (undo or redo)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 12:35
-	26	((relational and ((parent or root) with position)) and (record with (updat\$3 or modif\$3))) and (append\$3 with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 12:35
-	7	((relational and ((parent or root) with position)) and (record with (updat\$3 or modif\$3))) and (append\$3 with data) and (undo or redo)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 13:51
-	9	((relational and ((parent or root) with position)) and (record with (updat\$3 or modif\$3 or delet\$3 or add\$3))) and (append\$3 with data) and (undo or redo)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 13:52
-	9	((relational and ((parent or root) with position)) and (record with (updat\$3 or modif\$3 or delet\$3 or add\$3))) and (append\$3 with data) and (undo or redo) and version	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/21 12:29
-	4	(database and tree and ((parent or root) with position)) and ((parent or root) with dependent) and (data with append\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 15:01
-	1364	(database and ((parent or root) with position))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 15:01
-	122	((database and ((parent or root) with position)) ) and (state near3 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 15:01

-	17	((((database and ((parent or root) with position)) ) and (state near3 data)) and (version near3 (data or file of information)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/21 12:34
-	3	((((database and ((parent or root) with position)) ) and (state near3 data)) and (version near3 (data or file of information))) and (data with append\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/21 13:35
-	66	relational and (new near3 (data or file or information) near3 append\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/21 12:31
-	7	(relational and (new near3 (data or file or information) near3 append\$3)) and ((old or previous) near3 (data or file or information) near3 (modif\$3 or upadt\$3 or delet\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/21 13:12
-	1	((relational and (new near3 (data or file or information) near3 append\$3)) and (version near3 (data or file of information))) and ((parent or root) with position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/21 13:35
-	24	(relational and (new near3 (data or file or information) near3 append\$3)) and (version near3 (data or file or information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/21 13:36
-	8	((relational and (new near3 (data or file or information) near3 append\$3)) and (version near3 (data or file or information))) and (parent or root)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/21 13:39
-	5	((relational and (new near3 (data or file or information) near3 append\$3)) and (version near3 (data or file or information))) and (parent or root)) and position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/21 13:37
-	3	((relational and (new near3 (data or file or information) near3 append\$3)) and (version near3 (data or file or information))) and (parent or root)) not (((relational and (new near3 (data or file or information) near3 append\$3)) and (version near3 (data or file or information))) and (parent or root)) and position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/21 13:54
-	170	(version with record with (append\$3 or add\$3 or combin\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:47
-	48	((version with record with (append\$3 or add\$3 or combin\$3))) and relational	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:47
-	1	((version with record with (append\$3 or add\$3 or combin\$3))) and relational) and ((parent or root) with position)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 10:13

-	2771	transaction near3 log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 10:13
-	86	@pd < "20001108" and (transaction adj log) and tree and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 10:15
-	5	@pd < "20001108" and ((transaction adj log) same tree) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:21